

Artikkelit 2017

Abo-Hasseba A, Waaramaa T, Alku P, Geneid A. Difference in Voice Problems and Noise Reports Between Teachers of Public and Private Schools in Upper Egypt. *J Voice* 2017;31(4):508.e11-508.e16.  
<https://www.ncbi.nlm.nih.gov/pubmed/27856093>

Alanko O, Tuomisto MT, Peltomäki T, Tolvanen M, Soukka T, Svedström-Oristo AL. A longitudinal study of changes in psychosocial well-being during orthognathic treatment. *Int J Oral Maxillofac Surg* 2017;46(11):1380-1386. <https://www.ncbi.nlm.nih.gov/pubmed/28579266>

Almangush A, Heikkinen I, Mäkitie AA, Coletta RD, Läärä E, Leivo I, et al. Prognostic biomarkers for oral tongue squamous cell carcinoma: A systematic review and meta-analysis. *Br J Cancer* 2017;117(6):856-866.  
<https://www.ncbi.nlm.nih.gov/pubmed/28751758>

Al-Samadi A, Awad SA, Tuomainen K, Zhao Y, Salem A, Parikka M, et al. Crosstalk between tongue carcinoma cells, extracellular vesicles, and immune cells in in vitro and in vivo models. *Oncotarget* 2017;8(36):60123-60134. <https://www.ncbi.nlm.nih.gov/pubmed/28947958>

Ansaranta M, Geneid A, Kauppi P, Malmberg LP, Vilkkumäki E. Laryngeal Mucosal Reaction during Bronchial Histamine Challenge Test Visualized by Videolaryngostroboscopy. *J Voice* 2017;31(4):470-475.  
<https://www.ncbi.nlm.nih.gov/pubmed/27988066>

Aronniemi J, Lohi J, Salminen P, Vuola P, Lappalainen K, Pitkäranta A, et al. Angiomatosis of soft tissue as an important differential diagnosis for intramuscular venous malformations. *Phlebology* 2017;32(7):474-481.  
<https://www.ncbi.nlm.nih.gov/pubmed/27688038>

Atula T, Panigrahi J, Tarkkanen J, Mäkitie A, Aro K. Preoperative evaluation and surgical planning of submandibular gland tumors. *Head Neck* 2017;39(6):1071-1077.  
<https://www.ncbi.nlm.nih.gov/pubmed/28370782>

Autio TJ, Koskenkorva T, Leino TK, Koivunen P, Alho O-. Longitudinal analysis of inflammatory biomarkers during acute rhinosinusitis. *Laryngoscope* 2017;127(2):E55-E61.  
<https://www.ncbi.nlm.nih.gov/pubmed/27753120>

Bender O, Gunduz M, Cigdem S, Hatipoglu OF, Acar M, Kaya M, Grenman, Gunduz E, Ugur KS. Functional analysis of ESM1 by siRNA knockdown in primary and metastatic head and neck cancer cells. *J Oral Pathol Med* 2017;doi: 10.1111/jop.12648. <https://www.ncbi.nlm.nih.gov/pubmed/29024069>

Bhutta MF, Lambie J, Hobson L, Goel A, Hafrén L, Einarsdottir E, et al. A mouse-to-man candidate gene study identifies association of chronic otitis media with the loci TGIF1 and FBXO11. *Sci Rep* 2017;7(1). <https://www.ncbi.nlm.nih.gov/pubmed/28970529>

Bizaki A, Salonen T, Numminen J, Rautiainen M (2016) Granulomatous Hypertrophy of the Lingual Tonsil. *Ann Otolaryngol Rhinol* 3(8): 1123.

Bäck LJJ, Rekola J, Raittinen L, Halme E, Pietarinen P, Keski-Säntti H, et al. The feasibility of NBI in patients with suspected upper airway lesions: A multicenter study. *Laryngoscope* 2017;127(8):1821-1825. <https://www.ncbi.nlm.nih.gov/pubmed/28224618>

Dzioba A, Aalto D, Papadopoulos-Nydam G, Seikaly H, Rieger J, Wolfaardt J, Osswald M, Harris JR, O'Connell DA, Lazarus C, Urken M, Likhterov I, et al. Functional and quality of life outcomes after partial glossectomy: a multi-institutional longitudinal study of the head and neck research network. *J Otolaryngol Head Neck Surg* 2017;46(1):56. <https://www.ncbi.nlm.nih.gov/pubmed/28982382>

Elenius V, Palomares O, Waris M, Turunen R, Puhakka T, Rückert B, et al. The relationship of serum vitamins A, D, e and LL-37 levels with allergic status, tonsillar virus detection and immune response. *PLoS ONE* 2017;12(2). <https://www.ncbi.nlm.nih.gov/pubmed/28235040>

Farshchian M, Nissinen L, Siljamäki E, Riihilä P, Piipponen M, Kivisaari A, Kallajoki M, Grenman R, Peltonen J, Peltonen S, Quint KD, Bavinck JNB, Kähäri VM. Tumor cell-specific AIM2 regulates growth and invasion of cutaneous squamous cell carcinoma. *Oncotarget* 2017;8(28):45825-45836. <https://www.ncbi.nlm.nih.gov/pubmed/28526809>

Geneid A, Aaltonen L-, Porra L, Peltonen J, Palmu K, Sovijärvi A, et al. Association of breathing sound spectra with glottal dimensions in exercise-induced vocal cord dysfunction. *Eur Arch Oto-Rhino-Laryngol* 2017;274(11):3933-3940. <https://www.ncbi.nlm.nih.gov/pubmed/28852841>

Guzman M, Laukkanen A-, Traser L, Geneid A, Richter B, Muñoz D, et al. The influence of water resistance therapy on vocal fold vibration: a high-speed digital imaging study. *Logop Phoniatr Vocology* 2017;42(3):99-107. <https://www.ncbi.nlm.nih.gov/pubmed/27484690>

Haapaniemi A, Väisänen J, Atula T, Alho O-, Mäkitie A, Koivunen P. Predictive factors and treatment outcome of laryngeal carcinoma recurrence. *Head Neck* 2017;39(3):555-563. <https://www.ncbi.nlm.nih.gov/pubmed/27902867>

Haapio E, Kinnunen I, Airaksinen JKE, Irjala H, Kiviniemi T. Excessive intravenous fluid therapy in head and neck cancer surgery. *Head Neck* 2017;39(1):37-41. <https://www.ncbi.nlm.nih.gov/pubmed/27299857>

Haaramo A, Alapulli H, Aine L, Saarnisto U, Tuokkola J, Ruuska T, et al. Detailed Follow-up Study of Pediatric Orofacial Granulomatosis Patients. *J Pediatr Gastroenterol Nutr* 2017;65(4):388-393. <https://www.ncbi.nlm.nih.gov/pubmed/28425922>

Harju T, Numminen J. Risk factors for secondary post-tonsillectomy haemorrhage following tonsillectomy with bipolar scissors: Four-year retrospective cohort study. *J Laryngol Otol* 2017;131(2):155-161. <https://www.ncbi.nlm.nih.gov/pubmed/28031063>

Harju T, Kivekäs I, Numminen J, Rautiainen M. Eustachian Tube Dysfunction-Related Symptoms in Chronic Nasal Obstruction Caused by Inferior Turbinate Enlargement. *Ann Otol Rhinol Laryngol* 2017;126(12):798-803. <https://www.ncbi.nlm.nih.gov/pubmed/28975810>

Harju T, Rautiainen M, Kivekäs I. Significance of imaging in the diagnosis of olfactory disorder. *ENT-Ear Nose Throat J* 2017;96(2):E13-E17. <https://www.ncbi.nlm.nih.gov/pubmed/28231370>

Hämetyöjä H, Hirvonen K, Hagström J, Leivo I, Saarilahti K, Apajalahti S, et al. Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. *Virchows Arch* 2017;471(6):785-792. <https://www.ncbi.nlm.nih.gov/pubmed/28600602>

Härkönen K, Kivekäs I, Rautiainen M, Kotti V, Vasama J-. Quality of Life and Hearing Eight Years After Sudden Sensorineural Hearing Loss. *Laryngoscope* 2017;127(4):927-931. <https://www.ncbi.nlm.nih.gov/pubmed/27328455>

Ilmarinen T, Lont T, Hagström J, Tervahartiala T, Sorsa T, Haglund C, et al. Systemic matrix metalloproteinase-8 response in chronic tonsillitis. *Infect Dis* 2017;49(4):302-307. <https://www.ncbi.nlm.nih.gov/pubmed/27804311>

Ilmarinen T, Munne P, Hagström J, Haglund C, Auvinen E, Virtanen EI, et al. Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. *Oral Oncol* 2017;73:77-82. <https://www.ncbi.nlm.nih.gov/pubmed/28939080>

Ilomäki I, Kankare E, Tyrmi J, Kleemola L, Geneid A. Vocal Fatigue Symptoms and Laryngeal Status in Relation to Vocal Activity Limitation and Participation Restriction. *J Voice* 2017;31(2):248.e7-248.e10. <https://www.ncbi.nlm.nih.gov/pubmed/27544637>

Iso-Mustajärvi M, Matikka H, Risi F, Sipari S, Koski T, Willberg T, Lehtimäki A, Tervaniemi J, Löppönen H, Dietz A. A New Slim Modiolar Electrode Array for Cochlear Implantation: A Radiological and Histological Study. *Otol Neurotol* 2017;38(9):327-334. <https://www.ncbi.nlm.nih.gov/pubmed/28796083>

Jokela J, Haapaniemi A, Mäkitie A, Saarinen R. Sialendoscopy under local anaesthesia. *Acta Oto-Laryngol* 2017;137(3):310-314. <https://www.ncbi.nlm.nih.gov/pubmed/27659498>

Jouhi L, Hagström J, Atula T, Mäkitie A. Is p16 an adequate surrogate for human papillomavirus status determination? *Curr Opin Otolaryngol Head Neck Surg* 2017;25(2):108-112. <https://www.ncbi.nlm.nih.gov/pubmed/28141601>

Jouhi L, Halme E, Irjala H, Saarilahti K, Koivunen P, Pukkila M, Hagström J, Haglund C, Lindholm P, Hirvikoski P, Vaittinen S, Ellonen A, Tikanto J, Blomster H, Laranne J, Grenman R, Mäkitie A, Atula T. Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. *Acta Oncol* 2017. doi:10.1080/0284186X.2017. <https://www.ncbi.nlm.nih.gov/pubmed/29145765>

Jouhi L, Atula T, Saarilahti K, Hagström J, Haglund C, Mohamed H, et al. Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. *Head Neck* 2017;39(7):1412-1420. <https://www.ncbi.nlm.nih.gov/pubmed/28464452>

Jouhi L, Mohamed H, Mäkitie A, Remes SM, Haglund C, Atula T, et al. Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. *Cancer Immunol Immunother* 2017;66(12):1619-1629. <https://www.ncbi.nlm.nih.gov/pubmed/28856441>

Julkunen A, Terna E, Numminen J, Markkola A, Dastidar P, Karjalainen M, Huhtala H, Rautiainen M, Meurman J, Toppila-Salmi S. Inter-observer agreement of paranasal sinus computed tomography scans. *Acta Otolaryngol (Stockh)* 2017;137(6):611-617. <https://www.ncbi.nlm.nih.gov/pubmed/27981879>

Jutila T, Hirvonen TP, Nicoli TK, Vnencak M, Sinkkonen ST. Comparison of manually crimping and laser-activated nitinol prosthesis in otosclerosis surgery: our experience of 98 patients. *Clin Otolaryngol* 2017;42(3):728-731. <https://www.ncbi.nlm.nih.gov/pubmed/26804928>

Järvenpää P, Ilmarinen T, Geneid A, Pietarinen P, Kinnari TJ, Rihkanen H, et al. Work-up of globus: assessing the benefits of neck ultrasound and videofluorography. *Eur Arch Oto-Rhino-Laryngol* 2017;274(2):931-937. <https://www.ncbi.nlm.nih.gov/pubmed/27640141>

Järvinen K, Laukkanen A-, Geneid A. Voice Quality in Native and Foreign Languages Investigated by Inverse Filtering and Perceptual Analyses. *J Voice* 2017;31(2):261.e25-261.e31. <https://www.ncbi.nlm.nih.gov/pubmed/27495969>

Kajosaari L, Pennanen J, Klockars T. Otoplasty for prominent ears – demographics and surgical timing in different populations. *Int J Pediatr Otorhinolaryngol* 2017;100:52-56. <https://www.ncbi.nlm.nih.gov/pubmed/28802386>

Kaltainen E, Wikstén J, Aaltonen L-, Ilmarinen T, Hagström J, Blomgren K. The presence of minor salivary glands in the peritonsillar space. *Eur Arch Oto-Rhino-Laryngol* 2017;274(11):3997-4001. <https://www.ncbi.nlm.nih.gov/pubmed/28900734>

Kiwerska K, Szaumkessel M, Paczkowska J, Bodnar M, Byzia E, Kowal E, Kostrzevska-Poczekaj M, Janiszewska J, Bednarek K, Jarmuz-Szymczak M, Kalinowicz E, Wierzbicka M, Grenman R, Szyfter K, Marszalek A, Giefing M. Combined deletion and DNA methylation result in silencing of FAM107A gene in laryngeal tumors. *Sci Rep-UK* 2017;7:5386. <https://www.ncbi.nlm.nih.gov/pubmed/28710449>

Klockars T, Kajosaari L. Cervical chondrocutaneous branchial remnants. *Cleft Palate-Craniofac J* 2017;54(2):223-226. <https://www.ncbi.nlm.nih.gov/pubmed/26153756>

Koskinen A, Koskinen H, Bäck L, Saxen H, Klockars T. A detection dog for paediatric urinary tract infection caused by *Escherichia coli*. *Infect Dis* 2017;49(11-12):874-877. <https://www.ncbi.nlm.nih.gov/pubmed/28535699>

Koskinen A, Mattila P, Myller J, Penttilä M, Silvola J, Alastalo I, et al. Comparison of intra-operative characteristics and early post-operative outcomes between endoscopic sinus surgery and balloon sinuplasty. *Acta Oto-Laryngol* 2017;137(2):202-206. <https://www.ncbi.nlm.nih.gov/pubmed/27645028>

Kujala T, Leminen M. Low-level neural auditory discrimination dysfunctions in specific language impairment—A review on mismatch negativity findings. *Dev Cognitive Neurosci* 2017;28:65-75. <https://www.ncbi.nlm.nih.gov/pubmed/29182947>

Lahtinen SL, Liisanantti JH, Poukkanen MM, Laurila PA. Goal-directed fluid management in free flap surgery for cancer of the head and neck. *Minerva Anestesiol* 2017;83(1):59-68.

<https://www.ncbi.nlm.nih.gov/pubmed/27759740>

Laulajainen-Hongisto A, Aarnisalo AA, Lempinen L, Saat R, Markkola A, Leskinen K, et al. Otogenic intracranial abscesses, our experience over the last four decades. *J Int Adv Otol* 2017;13(1):40-46.

<https://www.ncbi.nlm.nih.gov/pubmed/28084999>

Laurén P, Somersalo P, Pitkänen I, Lou Y-, Urtti A, Partanen J, et al. Nanofibrillar cellulose-alginate hydrogel coated surgical sutures as cell-carrier systems. *PLoS ONE* 2017;12(8).

<https://www.ncbi.nlm.nih.gov/pubmed/28829830>

Lehmann S, Te Boekhorst V, Odenthal J, Bianchi R, van Helvert S, Ikenberg K, Ilina O, Stoma S, Xandry J, Jiang L, Grenman R, Rudin M, Friedl P. Hypoxia induces a HIF-1-dependent transition from collective-to-amoeboid dissemination in epithelial cancer cells. *Curr Biol* 2017;27(3):392-400.

<https://www.ncbi.nlm.nih.gov/pubmed/28089517>

Leminen MM, Virkkala J, Saure E, Paajanen T, Zee PC, Santostasi G, et al. Enhanced memory consolidation via automatic sound stimulation during non-REM sleep. *Sleep* 2017;40(3).

<https://www.ncbi.nlm.nih.gov/pubmed/28364428>

Liu D, Kankare E, Laukkanen A-M, Alku P. Comparison of parametrization methods of electroglottographic and inverse filtered acoustic speech pressure signals in distinguishing between phonation types. *Biomedical Signal Processing and Control* 2017;36:183-193. <http://urn.fi/URN:NBN:fi:uta-201704251480>

Liu Y, Mattila J, Ventelä S, Yadav L, Zhang W, Lamichane N, Sundström J, Kauko O, Grenman R, Varjosalo M, Westermarck J, Hietakangas V. PWP1 Mediates Nutrient-Dependent Growth Control through Nucleolar Regulation of Ribosomal Gene Expression. *Dev Cell* 2017;43(2):240-252.e5.

<https://www.ncbi.nlm.nih.gov/pubmed/29065309>

Loimu V, Seppälä T, Kapanen M, Tuomikoski L, Nurmi H, Mäkitie A, et al. Diffusion-weighted magnetic resonance imaging for evaluation of salivary gland function in head and neck cancer patients treated with intensity-modulated radiotherapy. *Radiother Oncol* 2017;122(2):178-184.

<https://www.ncbi.nlm.nih.gov/pubmed/27475276>

Lundberg M, Nikander P, Tuomainen K, Orell-Kotikangas H, Mäkitie A. Bioelectrical impedance analysis of head and neck cancer patients at presentation. *Acta Oto-Laryngol* 2017;137(4):417-420.

<https://www.ncbi.nlm.nih.gov/pubmed/28079435>

Luukkainen A, Seppälä M, Renkonen J, Renkonen R, Hagstro M J, Huhtala H, Rautiainen M, Myller J, Paavonen T, Ranta A, Torkkeli T, Toppila-Salmi S. Low lymphatic vessel density associates with chronic rhinosinusitis with nasal polyps. *Rhinology* 2017;55(2):181-191.

<https://www.ncbi.nlm.nih.gov/pubmed/28434015>

Luukkainen V, Vnencak M, Aarnisalo AA, Jero J, Sinkkonen ST. Patient satisfaction in the long-term effects of Eustachian tube balloon dilation is encouraging. *Acta Otolaryngol (Stockh)* 2017.

<https://www.ncbi.nlm.nih.gov/pubmed/29017385>

Luukkainen V, Kivekäs I, Hammarén-Malmi S, Rautiainen M, Pöyhönen L, Aarnisalo AA, et al. Balloon Eustachian tuboplasty under local anesthesia: Is it feasible? *Laryngoscope* 2017;127(5):1021-1025.

<https://www.ncbi.nlm.nih.gov/pubmed/28409844>

Lyly A, Castrén E, Aronniemi J, Klockars T. Plunging ranula—patient characteristics, treatment, and comparison between different populations. *Acta Oto-Laryngol* 2017;137(12):1271-1274.

<https://www.ncbi.nlm.nih.gov/pubmed/28754079>

Läärä E, Korpi JT, Pitkänen H, Alho O-, Kantola S. Competing risks analysis of cause-specific mortality in patients with oral squamous cell carcinoma. *Head Neck* 2017;39(1):56-62.

<https://www.ncbi.nlm.nih.gov/pubmed/27437667>

Manchaiah V, Pyykkö I, Zou J, Levo H, Kentala E. Patient-reported benefits from patient organization magazines and Internet-based peer support in Ménière's disease. *Patient Preference Adherence* 2017;11:1851-1857.

<https://www.ncbi.nlm.nih.gov/pubmed/29138539>

Mroueh R, Haapaniemi A, Grénman R, Laranne J, Pukkila M, Almangush A, et al. Improved outcomes with oral tongue squamous cell carcinoma in Finland. *Head Neck* 2017;39(7):1306-1312.

<https://www.ncbi.nlm.nih.gov/pubmed/28481417>

Mäkitie AA, Cange HH, Hammarstedt-Nordenvall L, Gudjonsson A, Jóhannsson J, Laranne J, et al. Head and neck cancer management in the Nordic countries: an effort to harmonize treatment. *Eur Arch Oto-Rhino-Laryngol* 2017;274(5):2363-2365.

<https://www.ncbi.nlm.nih.gov/pubmed/28124110>

Mäkitie AA, Irijala H, Steinsvåg S, Gudjonsson A, Lüscher M, Luxenberger W, et al. Northern European manpower in Otorhinolaryngology-Head and Neck Surgery. *Eur Arch Oto-Rhino-Laryngol* 2017;274(4):2065-2067.

<https://www.ncbi.nlm.nih.gov/pubmed/27637750>

Mäkitie A, Ruuskanen M, Bentzen J, Brun E, et al. The management and survival outcomes of nasopharyngeal cancer in the Nordic countries. *Acta Oncol* 2017.

<https://www.ncbi.nlm.nih.gov/pubmed/29202641>

Nicoli TK, Sinkkonen ST, Anttila T, Mäkitie A, Jero J. Jugulotympanic paragangliomas in southern Finland: a 40-year experience suggests individualized surgical management. *Eur Arch Oto-Rhino-Laryngol*

2017;274(1):389-397. <https://www.ncbi.nlm.nih.gov/pubmed/27380272>

Olander H, Järnstedt J, Poe D, Kivekäs I. Critical distance between the cartilaginous Eustachian tube and the internal carotid artery. *Eur Arch Oto-Rhino-Laryngol* 2017;274(1):73-77.

<https://www.ncbi.nlm.nih.gov/pubmed/27392452>

Orell-Kotikangas H, Österlund P, Mäkitie O, Saarihahti K, Ravasco P, Schwab U, et al. Cachexia at diagnosis is associated with poor survival in head and neck cancer patients. *Acta Oto-Laryngol* 2017;137(7):778-785.

<https://www.ncbi.nlm.nih.gov/pubmed/28125312>

Palotie T, Riekkilä S, Mäkitie A, Bachour A, Arte S, Bäck L. The Effect of mandible advancement splints in mild, moderate, and severe obstructive sleep apnea-the need for sleep registrations during follow up. *Eur J Orthod* 2017;39(5):497-501.

<https://www.ncbi.nlm.nih.gov/pubmed/27999120>

Paunonen J, Helminen M, Peltomäki T. Duration of orthognathic-surgical treatment. *Acta Odontol Scand*

2017;75(5):372-375. <https://www.ncbi.nlm.nih.gov/pubmed/28431477>

Pérez-Tanoira R, Aarnisalo AA, Eklund KK, Han X, Soininen A, Tiainen V-, et al. Prevention of Biomaterial Infection by Pre-Operative Incubation with Human Cells. *Surg Infect* 2017;18(3):336-344.

<https://www.ncbi.nlm.nih.gov/pubmed/28267427>

Pérez-Tanoira R, Han X, Soininen A, Aarnisalo AA, Tiainen V-, Eklund KK, et al. Competitive colonization of prosthetic surfaces by staphylococcus aureus and human cells. *J Biomed Mater Res Part A* 2017;105(1):62-

72. <https://www.ncbi.nlm.nih.gov/pubmed/27513443>

Pietilä R, Tolvanen M, Peltomäki T, Svedström-Oristo A. Symptoms in the masticatory system and related quality of life in prospective orthognathic patients. *Acta Odontol Scand* 2017;75(6):402-406.

<https://www.ncbi.nlm.nih.gov/pubmed/28502207>

Piitulainen J, Mattila R, Moritz N, Vallittu P. Load-bearing capacity and fracture behavior of glass fiber-reinforced composite cranioplasty implants. *J Appl Biomater Funct Mater* 2017;15(4):356-361.

<https://www.ncbi.nlm.nih.gov/pubmed/28862733>



Pyykkö I, Manchaiah V, Levo H, Kentala E, Juhola M. Internet-based peer support for Ménière's disease: a summary of web-based data collection, impact evaluation, and user evaluation. *Int J Audiol* 2017;56(7):453-463. <https://www.ncbi.nlm.nih.gov/pubmed/28635496>

Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. Do patients with Ménière's disease have attacks of syncope? *J Neurol* 2017;264:48-54. <https://www.ncbi.nlm.nih.gov/pubmed/28321563>

Pyöriä L, Toppinen M, Mäntylä E, Hedman L, Aaltonen L, Vihinen-Ranta M, et al. Extinct type of human parvovirus B19 persists in tonsillar B cells. *Nat Commun* 2017;8. <https://www.ncbi.nlm.nih.gov/pubmed/28374737>

Renkonen S, Lee M, Mäkitie A, Lindström LS, Czene K. Site-specific familial risk and survival of familial and sporadic head and neck cancer. *Int J Cancer* 2017;141(3):497-502. <https://www.ncbi.nlm.nih.gov/pubmed/28439918>

Renkonen S, Lindén R, Bäck L, Silén R, Mäenpää H, Tapiovaara L, et al. Accuracy of preoperative MRI to assess lateral neck metastases in papillary thyroid carcinoma. *Eur Arch Oto-Rhino-Laryngol* 2017;274(11):3977-3983. <https://www.ncbi.nlm.nih.gov/pubmed/28866793>

Riihilä P, Nissinen L, Farshchian M, Kallajoki M, Kivisaari A, Meri S, Grenman R, Peltonen S, Peltonen J, Pihlajaniemi T, Heljasvaara R, Kähäri VM. Complement component C3 and complement factor B promote growth of cutaneous squamous cell carcinoma. *Am J Pathol* 2017;187(5):1186-1197. <https://www.ncbi.nlm.nih.gov/pubmed/28322200>

Ruohoalho J, Aro K, Mäkitie AA, Atula T, Haapaniemi A, Keski-Säntti H, et al. Prospective experience of percutaneous endoscopic gastrostomy tubes placed by otorhinolaryngologist—head and neck surgeons: safe and efficacious. *Eur Arch Oto-Rhino-Laryngol* 2017;274(11):3971-3976. <https://www.ncbi.nlm.nih.gov/pubmed/28865046>

Ruohoalho J, Mäkitie AA, Aro K, Atula T, Haapaniemi A, Keski-Säntti H, et al. Complications after surgery for benign parotid gland neoplasms: A prospective cohort study. *Head Neck* 2017;39(1):170-176. <https://www.ncbi.nlm.nih.gov/pubmed/27131221>

Ruuskanen M, Grenman R, Leivo I, Vahlberg T, Mäkitie A, Saarilahti K, Wigren T, Korpela M, Voutilainen L, Koivunen P, Irjala H, Minn H. Outcome of nasopharyngeal carcinoma in Finland: A nationwide study. *Acta Oncol* 2017. <https://www.ncbi.nlm.nih.gov/pubmed/28686479>

Räsänen J, Ilonen I, Ristimäki A, Salo JA, Mäkitie AA. A hamartoma presenting as an intramural upper oesophageal tumour. *J Thorac Dis* 2017;9(8):E698-E701. <https://www.ncbi.nlm.nih.gov/pubmed/28932589>

Sadeghi M, Wang Y, Ramqvist T, Aaltonen L-, Pyöriä L, Toppinen M, et al. Multiplex detection in tonsillar tissue of all known human polyomaviruses. *BMC Infect Dis* 2017;17(1).  
<https://www.ncbi.nlm.nih.gov/pubmed/28595595>

Sahlsten H, Virtanen J, Joutsa J, Niinivirta-Joutsa K, Löyttyniemi E, Johansson R, Paavola J, Taiminen T, Sjösten N, Salonen J, Holm A, Rauhala E, Jääskeläinen SK. Electric field-navigated transcranial magnetic stimulation for chronic tinnitus: a randomized, placebo-controlled study. *Int J Audiol* 2017;56(9):692-700.  
<https://www.ncbi.nlm.nih.gov/pubmed/28415897>

Sahlsten H, Taiminen T, Karukivi M, Sjösten N, Nikkilä J, Virtanen J, Paavola J, Joutsa J, Niinivirta-Joutsa K, Takala M, Holm A, Rauhala E, Löyttyniemi E, Johansson R, Jääskeläinen SK. Psychiatric (Axis I) and personality (Axis II) disorders and subjective psychiatric symptoms in chronic tinnitus. *Int J Audiol* 2017.  
<https://www.ncbi.nlm.nih.gov/pubmed/29188734>

San Giorgi MRM, Aaltonen L-, Rihkanen H, Tjon Pian Gi REA, Van Der Laan BFAM, Hoekstra-Weebers JEHM, et al. Validation of the Distress Thermometer and Problem List in Patients with Recurrent Respiratory Papillomatosis. *Otolaryngol Head Neck Surg* 2017;156(1):180-188.  
<https://www.ncbi.nlm.nih.gov/pubmed/27600632>

San Giorgi MRM, Aaltonen L-, Rihkanen H, Tjon Pian Gi REA, van der Laan BFAM, Hoekstra-Weebers JEHM, et al. Quality of life of patients with recurrent respiratory papillomatosis. *Laryngoscope* 2017;127(8):1826-1831. <https://www.ncbi.nlm.nih.gov/pubmed/27861969>

Saraswat M, Mäkitie A, Agarwal R, Joenväärä S, Renkonen S. Oral squamous cell carcinoma patients can be differentiated from healthy individuals with label-free serum proteomics. *Br J Cancer* 2017;117(3):376-384.  
<https://www.ncbi.nlm.nih.gov/pubmed/28632724>

Schrey A, Airas L, Jokela M, Pulkkinen J. Botulinum toxin alleviates dysphagia of patients with inclusion body myositis. *J Neurol Sci* 2017;380:142-147. <https://www.ncbi.nlm.nih.gov/pubmed/28870555>

Schätzle M, Golland L, Patcas R, et al, Peltomäki T. Cleaning Efficacy of Manual Toothbrushes Around Brackets - A Pilot Randomised Control Trial. *Oral Health Prev Dent* 2017;15(1):33-39.  
<https://www.ncbi.nlm.nih.gov/pubmed/28232972>

Sillanpää S, Kramna L, Oikarinen S, Sipilä M, Rautiainen M, Aittoniemi J, Laranne J, Hyöty H, Cinek O. Next-Generation Sequencing Combined with Specific PCR Assays To Determine the Bacterial 16S rRNA Gene Profiles of Middle Ear Fluid Collected from Children with Acute Otitis Media. *Msphere* 2017;2(2):e00006-17. <https://www.ncbi.nlm.nih.gov/pubmed/28357413>

Silvoniemi A, Suilamo S, Laitinen T, Forsback S, Löyttyniemi E, Vaittinen S, Saunavaara V, Solin O, Grönroos T, Minn H. Repeatability of tumour hypoxia imaging using [18F]EF5 PET/CT in head and neck cancer. *Eur J Nucl Med Mol Imaging* 2017;doi: 10.1007/s00259-017-3857-3. <https://www.ncbi.nlm.nih.gov/pubmed/29075831>

Sinkkonen ST, Ruohoalho J, Pietarinen P, Aaltonen L-, Mäkitie AA, Bäck LJ. Limited long-term outcome of single-session soft palate interstitial radiofrequency surgery for habitual snoring in tertiary care academic referral centre: Our experience on 77 patients. *Clin Otolaryngol* 2017;42(2):470-473. <https://www.ncbi.nlm.nih.gov/pubmed/26865418>

Stoustrup P, Twilt M, Spiegel L, et al, Peltomäki T. Clinical Orofacial Examination in Juvenile Idiopathic Arthritis: International Consensus-based Recommendations for Monitoring Patients in Clinical Practice and Research Studies. *J Rheumatol* 2017;44(3):326-333. <https://www.ncbi.nlm.nih.gov/pubmed/28089967>

Sundquist E, Kauppila JH, Veijola J, Mroueh R, Lehenkari P, Laitinen S, et al. Tenascin-C and fibronectin expression divide early stage tongue cancer into low-and high-risk groups. *Br J Cancer* 2017;116(5):640-648. <https://www.ncbi.nlm.nih.gov/pubmed/28095396>

Szaumkessel M, Wojciechowska S, Janiszewsk J, Zemke N, Byzia E, Kiwerska K, Kostrzewska-Poczekaj M, Ustaszewski A, Jarmuz-Szymczak M, Grenman R, Bartochowska A, Szyfter K, Giefing M. Recurrent epigenetic silencing of the PTPRD tumor suppressor in laryngeal squamous cell carcinoma. *Tumor Biol* 2017;39(3):010428317691427. <https://www.ncbi.nlm.nih.gov/pubmed/28345455>

Tapiovaara L, Bäck L, Aro K. Comparison of intubation and tracheotomy in patients with deep neck infection. *Eur Arch Oto-Rhino-Laryngol* 2017;274(10):3767-3772. <https://www.ncbi.nlm.nih.gov/pubmed/28780666>

Taalu R, Bizaki AJ, Numminen J, Rautiainen M. A prospective, randomized clinical study comparing drug eluting stent therapy and intranasal corticoid steroid therapy in the treatment of patients with chronic rhinosinusitis. *Rhinology* 2017;55(3):218-226. <https://www.ncbi.nlm.nih.gov/pubmed/28492612>

Tiefenböck-Hansson K, Haapaniemi A, Farnebo L, Palmgren B, Tarkkanen J, Farnebo M, et al. WRAP53 $\beta$ , survivin and p16INK4a expression as potential predictors of radiotherapy/chemoradiotherapy response in

T2N0-T3N0 glottic laryngeal cancer. *Oncol Rep* 2017;38(4):2062-2068.  
<https://www.ncbi.nlm.nih.gov/pubmed/28849066>

Tolska HK, Takala A, Blomgren K, Hamunen K, Kontinen V. Topical ropivacaine in prevention of post-tonsillectomy pain in adults. *Anesth Analg* 2017;124(5):1459-1466.  
<https://www.ncbi.nlm.nih.gov/pubmed/28328759>

Turunen A, Rautava J, Grenman R, Syrjänen K, Syrjänen S. Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. *Oncotarget* 2017;8(16):27328-27338.  
<https://www.ncbi.nlm.nih.gov/pubmed/28423694>

Tuomi JT, Björkstrand RV, Pernu ML, Salmi MVJ, Huotilainen EI, Wolff JEH, et al. In vitro cytotoxicity and surface topography evaluation of additive manufacturing titanium implant materials. *J Mater Sci Mater Med* 2017;28(3). <https://www.ncbi.nlm.nih.gov/pubmed/28197824>

Vento SI, Vähämurto P, Silventoinen K, Karjalainen-Lindsberg M-, Mannisto S, Leppä S, et al. Clinical findings in 25 patients with sinonasal or nasopharyngeal extramedullary plasmacytoma in a four-decade single-centre series. *Acta Oto-Laryngol* 2017;137(9):975-980. <https://www.ncbi.nlm.nih.gov/pubmed/28537101>

Veres TZ, Kopcsanyi T, Van Panhuys N, Gerner MY, Liu Z, Rantakari P, et al. Allergen-Induced CD4+ T Cell cytokine production within airway mucosal dendritic cell-t cell clusters drives the local recruitment of myeloid effector cells. *J Immunol* 2017;198(2):895-907. <https://www.ncbi.nlm.nih.gov/pubmed/27903737>

Ylikoski J, Lehtimäki J, Pirvola U, Mäkitie A, Aarnisalo A, Hyvärinen P, et al. Non-invasive vagus nerve stimulation reduces sympathetic preponderance in patients with tinnitus. *Acta Oto-Laryngol* 2017;137(4):426-431. <https://www.ncbi.nlm.nih.gov/pubmed/28084177>